

11711 HERMITAGE ROAD, SUITE #5
LITTLE ROCK, AR 72211
License #: BL157155
Phone: 501-516-8028

Certificate of Analysis

Sample Result: PASS



Client Name: Soul CBD

Address:

Phone:

License Number:

Sample ID: AR53785

Sample Name: 25mg Pineapple Mango Gummies

Sample Matrix: Edible

Date Received: 9/16/2024

Batch ID: N04373

State ID: 100122

Date Reported: 9/20/2024

Package Mass: 143.01g / 5.045 oz

Servings: 31

Cannabinoids

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR)

Analyte	%	mg/g	mg/serv	mg/pkg	LOD (mg/serv)	LOQ (mg/serv)
CBC	ND	ND	ND	ND	0.1	1.0
CBCA	ND	ND	ND	ND	0.1	1.0
CBD	0.497	4.97	22.94	711.3	0.1	1.0
CBDA	ND	ND	ND	ND	0.1	1.0
CBDV	ND	ND	ND	ND	0.1	1.0
CBDVA	ND	ND	ND	ND	0.1	1.0
CBG	ND	ND	ND	ND	0.1	1.0
CBGA	ND	ND	ND	ND	0.1	1.0
CBN	ND	ND	ND	ND	0.1	1.0
9-THC	ND	ND	ND	ND	0.1	1.0
delta-8-THC	ND	ND	ND	ND	0.1	1.0
THCA	ND	ND	ND	ND	0.1	1.0
THCV	ND	ND	ND	ND	0.1	1.0
THCVA	ND	ND	ND	ND	0.1	1.0
Total THC	ND	ND	ND	ND		
Total CBD	0.497	4.97	22.94	711.3		
Total Cannabinoids	0.497	4.97	22.94	711.3		



Sample ID: AR53785

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. When applicable, Steep Hill Arkansas may use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report shall only be reproduced in its entirety.



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5
LITTLE ROCK, AR 72211
License #: BL157155
Phone: 501-516-8028

Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS + GC-MSMS; SOP-070-AR + SOP-073-AR) - Limit units: ug/g = ppm

Analyte	Pass/Fail	µg/g	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.5	0.04	0.12
Acephate	PASS	ND	0.4	0.03	0.09
Acequinocyl	PASS	ND	2.0	0.15	0.49
Acetamiprid	PASS	ND	0.2	0.03	0.09
Aldicarb	PASS	ND	0.4	0.02	0.06
Azoxystrobin	PASS	ND	0.2	0.02	0.08
Bifenazate	PASS	ND	0.2	0.02	0.06
Bifenthrin	PASS	ND	0.2	0.04	0.12
Boscalid	PASS	ND	0.4	0.04	0.14
Carbaryl	PASS	ND	0.2	0.02	0.05
Carbofuran	PASS	ND	0.2	0.02	0.06
Chlorantraniliprole	PASS	ND	0.2	0.03	0.1
Chlorfenapyr	PASS	ND	1.0	0.03	0.09
Chlorpyrifos	PASS	ND	0.2	0.03	0.09
Clofentezine	PASS	ND	0.2	0.04	0.12
Cyfluthrin	PASS	ND	1.0	0.04	0.13
Cypermethrin	PASS	ND	1.0	0.04	0.14
Daminozide	PASS	ND	1.0	0.05	0.18
Diazinon	PASS	ND	0.2	0.02	0.06
DDVP (Dichlorvos)	PASS	ND	0.1	0.03	0.08
Dimethoate	PASS	ND	0.2	0.03	0.09
Ethoprophos	PASS	ND	0.2	0.03	0.09
Etofenprox	PASS	ND	0.4	0.04	0.12
Etoxazole	PASS	ND	0.2	0.03	0.1
Fenoxycarb	PASS	ND	0.2	0.02	0.08
Fenpyroximate	PASS	ND	0.4	0.02	0.06
Fipronil	PASS	ND	0.4	0.04	0.12
Flonicamid	PASS	ND	1.0	0.05	0.16
Fludioxonil	PASS	ND	0.4	0.04	0.15
Hexythiazox	PASS	ND	1.0	0.02	0.07
Imazalil	PASS	ND	0.2	0.04	0.14
Imidacloprid	PASS	ND	0.4	0.02	0.07
Kresoxim-methyl	PASS	ND	0.4	0.02	0.06
Malathion	PASS	ND	0.2	0.01	0.04
Metalaxyl	PASS	ND	0.2	0.02	0.06
Methiocarb	PASS	ND	0.2	0.02	0.06
Methomyl	PASS	ND	0.4	0.03	0.09
Methyl parathion	PASS	ND	0.2	0.03	0.09
MGK-264	PASS	ND	0.2	0.01	0.03
Myclobutanil	PASS	ND	0.2	0.02	0.07
Naled	PASS	ND	0.5	0.04	0.13
Oxamyl	PASS	ND	1.0	0.04	0.12
Paclobutrazol	PASS	ND	0.4	0.03	0.1
Permethrins	PASS	ND	0.2	0.03	0.08
Phosmet	PASS	ND	0.2	0.03	0.09
Piperonyl Butoxide	PASS	ND	2.0	0.02	0.06
Prallethrin	PASS	ND	0.2	0.02	0.06
Propiconazole	PASS	ND	0.4	0.01	0.04
Propoxur	PASS	ND	0.2	0.01	0.05
Pyrethrins	PASS	ND	1.0	0.06	0.2
Pyridaben	PASS	ND	0.2	0.03	0.1
Spinosad	PASS	ND	0.2	0.04	0.12
Spiromesifen	PASS	ND	0.2	0.03	0.1
Spirotetramat	PASS	ND	0.2	0.01	0.05
Spiroxamine	PASS	ND	0.4	0.04	0.15
Tebuconazole	PASS	ND	0.4	0.01	0.04
Thiacloprid	PASS	ND	0.2	0.02	0.05
Thiamethoxam	PASS	ND	0.2	0.02	0.05
Trifloxystrobin	PASS	ND	0.2	0.02	0.06



Sample ID: AR53785

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. When applicable, Steep Hill Arkansas may use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report shall only be reproduced in its entirety.



Accreditation # 97338

Certificate of Analysis

Residual Solvents

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS; SOP-010-AR) - Limit units: µg/g

Analyte	Pass/Fail	µg/g	Limit	LOD (µg/g)	LOQ (µg/g)
1-Butanol	PASS	ND	5000	71	236
1-Pentanol	PASS	ND	5000	71	236
1-Propanol	PASS	ND	5000	71	236
1,2-Dimethoxyethane	PASS	ND	100	5	16
1,4-Dioxane	PASS	ND	380	5	16
2-Butanol	PASS	ND	5000	71	236
2-Butanone	PASS	ND	5000	71	236
2-Ethoxyethanol	PASS	ND	160	9	32
2-Methylbutane	PASS	ND	5000	71	236
2-Methylpentane	PASS	ND	290	5	16
2-Propanol (IPA)	PASS	ND	5000	71	236
2,2-Dimethylbutane	PASS	ND	290	5	16
2,3-Dimethylbutane	PASS	ND	290	5	16
3-Methylpentane	PASS	ND	290	5	16
Acetone	PASS	ND	5000	71	236
Acetonitrile	PASS	ND	410	5	16
Benzene	PASS	ND	2	0.3	1.0
n-Butane	PASS	ND	5000	71	236
Cumene	PASS	ND	70	5	16
Cyclohexane	PASS	ND	3880	71	236
Dichloromethane	PASS	ND	600	9	29
Dimethyl Sulfoxide	PASS	ND	5000	71	236
Ethanol	PASS	ND	5000	71	236
Ethyl Acetate	PASS	ND	5000	71	236
Ethyl Ether	PASS	ND	5000	71	236
Ethylene Glycol	PASS	ND	620	34	114
Ethylene Oxide	PASS	ND	50	5	16
n-Heptane	PASS	ND	5000	71	236
n-Hexane	PASS	ND	290	5	16
Isopropyl Acetate	PASS	ND	5000	71	236
Methanol	PASS	ND	3000	71	236
Methylpropane	PASS	ND	5000	71	236
N,N-Dimethylacetamide	PASS	ND	1090	19	63
N,N-Dimethylformamide	PASS	ND	880	19	63
n-Pentane	PASS	ND	5000	71	236
Propane	PASS	ND	5000	71	236
Pyridine	PASS	ND	200	9	32
Sulfolane	PASS	ND	160	34	114
Tetrahydrofuran	PASS	ND	720	5	16
Toluene	PASS	ND	890	5	16
Xylenes	PASS	ND	2170	71	236



Sample ID: AR53785

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. When applicable, Steep Hill Arkansas may use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report shall only be reproduced in its entirety.



Accreditation # 97338



Certificate of Analysis

Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS; SOP-072-AR) - **Limit units: µg/kg**

Analyte	Pass/Fail	ug/kg	Limit	LOD (ug/kg)	LOQ (ug/kg)
Arsenic	PASS	ND	200	11	34
Cadmium	PASS	ND	200	11	34
Lead	PASS	ND	500	25	84
Mercury	PASS	ND	100	4	17

Microbials

PASS

Microbiological screening utilizing 3M Petrifilm (SOP-700-AR) - **Limit units: CFU/g**

Analyte	Pass/Fail	CFU/g	Limit	LOQ
Coliform	PASS	ND	>0	7
General E. Coli	NT	NT	NT	NT

Brandon Thornton
Pharm D. Co-Owner & CEO
Date: 9/20/2024



Sample ID: AR53785

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. When applicable, Steep Hill Arkansas may use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report shall only be reproduced in its entirety.



Accreditation # 97338